



### Characteristic Curves

#### THD 12-2410WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-2411WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-2412WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-2413WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-2421WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-2422WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-2423WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4810WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4811WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4812WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4813WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4821WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4822WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### THD 12-4823WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic

