
Characteristic Curves

TEL 5-1210

Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)





TEL 5-1211

Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)





TEL 5-1212


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)






TEL 5-1222


Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)





TEL 5-1223


Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)





TEL 5-2410


Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)





TEL 5-2411

Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)






TEL 5-2412


Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage




Transient Response to Dynamic Load Change (25%)






TEL 5-2422


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic






Input Voltage(V)




Derating Output Load versus Ambient Temperature



Efficiency vs Input Voltage

TEL 5-2423


Efficiency vs Output Load




Typical Output Ripple and Noise



Typical Input Start-Up and Output Rise Characteristic




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)



Derating Output Load versus Ambient Temperature



© Copyright 2021 Traco Electronic AG

TRACO POWER

Specifications can be changed without notice!